

QUADRA – TECHNICAL FEATURES



DESKS AND MEETING TABLES

DESK TOPS AND MEETING TABLE TOPS:

supporting frame in steel tube with dim. cm 40x20x2, fire painted. Frame dim. mm 40x23 in MDF upholstered in natural wood veneer, 20 mm thickness.

On the top, the a central element is placed in MDF upholstered in leather and pen cabinet upholstered in leather

LEGS

they are in MDF upholstered in natural wood veneer and upper capital in chromed steel, with cover in the same finishing of the leg. The legs can be also requested in travertine marble, light colour and capital cover in the same finishing of the desk top.

FIXED OR ON CASTORS SET OF DRAWERS

GENERAL SPECS

rounded sides with 25 mm thickness, with anthracite colour "Macroter" painting.

Adjustable feet for fixed sets of drawers, handles in brushed aluminium; central cylindrical lock with 2 keys with poliethilene soft handgrip and hidden coding for key and cylinder.

The sets of drawers on castors have the tops in natural wood veneer.

NORMAL DRAWER AND UPPER SMALL DRAWER

in wood veneer; internal dimensions cm 39x50x9h (small drawer cm 4,5 h); sliding on metal guides



Bram Burofactory - HLO

on ball bearings, with total excursion and end-block at the end of sliding.

FILING DRAWER

in painted metal, thickness 0,8 mm, internal dimensions of the drawer cm 38,5x52,5x27h; no. 1 vertical movable separator. Possibility to load suspended folders with inter-axis of cm 33, cm 38 and cm 39; telescopic guides in steel, sliding on ball bearings, total extraction, end-block at the end of sliding.

BOOKCASES

SIDES

rounded, in "Macroter" painting MDF, thickness mm 25. TOPS: in particle wood upholstered in natural wood veneer, thickness 40 mm BOTTOM: in melamine with thickness mm 20

DOORS

wing doors in wood veneer, thickness mm 18, upholstered and painted as per the inserts of the desk tops or in tempered glass thickness mm 5, painted in graphite colour.

Handles in chromed aluminium, 2 adjustable hinges per door, cylinder lock with 2 keys, with polyethylene soft handgrip and hidden coding for key and cylinder.

MOVABLE SHELVES

in bi-laminate particle wood, thickness mm 20, no. 3 shelves in the high bookcase and no. 1 shelf in the low bookcase; inner usable depth cm 42.

BACK

in bi-laminate particle wood, 20 mm thickness.

OPTIONAL ACCESSORIES

50 litres capability fridge kit , 220 Volts.

Extractable raincoat holder.

Wood is a natural, living material with the features that come with it. Due to the different appearance of natural factors such as the grain, the porosity, etc., Can not be guaranteed the same tone as the real wood. Exposure to direct sunlight may cause color variations. With time, in addition, the wood ages and can have a slightly different shade should not be considered a defect. E 'therefore important to consider that you will not get uniformity of finish and shade in the following cases: Completions Shipments different (at different times), Additions, Substitutions.

QUADRA – CARACTERISTIQUES TECHNIQUES



PLATEAUX ET TABLES RÉUNION

PLATEAUX ET TABLES RÉUNION

Châssis portant le plateau réalisé en tube d'acier cm.40x20x2, verni au feu. Cadre mm 40x23 en MDF revêtu avec placage bois ; plateaux composés en panneaux de particules de bois, revêtus en placage bois, épaisseur 20mm.

Sur les plateaux de bureau il y a aussi un élément central coté utilisateur en MDF revêtu en cuir et clapet plumier en MDF.

PIED

En MDF revêtu en placage bois et chapiteau supérieur en acier chromé, avec cache en bois revêtu dans la même finition du pied. Le pied peut être, sur demande, en marbre travertin clair avec chapiteau en acier chromé et cache en bois dans la même finition du plateau du bureau.

CAISSONS

FIXES OU SUR ROULETTES

Côtés arrondis épaisseur mm 25 laqués avec verni type « Macroter ».

Pieds réglables dans les caissons fixes ; poignées en aluminium poli ; serrure centrale à cylindre équipée de deux clés avec poignée en polyéthylène souple et chiffrage caché pour clé et cylindre. Les caissons sur roulettes sont équipés d'un top supérieur en bois.

TIROIR NORMAL

et petit tiroir supérieur en bois ; dimensions intérieures cm 39x50x9h (petit tiroir cm 4,5h) ; glissement sur guides métalliques à roulement à billes, extraction totale et butée de fin de course, montées sous le tiroir, cachées.

TIROIR PDS



Bram Burofactory - HLO

En tôle d'acier verni, épaisseur 8 dixièmes ; dimensions internes cm 38,5x52,5x27h : n. 1 séparateur vertical à l'intérieur, mobile . Possibilité d'être équipé par des dossiers suspendus d'entraxe cm 33,38,39 ; guides télescopiques en acier, roulements à billes, extraction totale et butée de fin de course.

ARMOIRES

CÔTÉS
arrondis, épaisseur mm25, laqués avec verni type « Macro ter» couleur anthracite. TOP: Panneau de particules de bois revêtu en placage bois, épaisseur 40 mm.

FOND
En mélaminé épaisseur mm 20

PORTES
battantes en bois, épaisseur mm 18 plaquées et vernies comme les inserts des plateaux du bureau ou en cristal trempé épaisseur 5 mm. verni couleur graphite. Poignées en aluminium brossé, n.2 charnières réglables pour chaque porte; serrure à cylindre avec double clé, poignée en polyéthylène souple et chiffrage caché pour clé et cylindre.

ETAGERES
en particules de bois mélaminé épaisseur mm 20; n. 3 dans l'armoire haute et n. 1 pour l'armoire basse; profondeur utile interne cm 42.

DOS
en particules de bois mélaminé épaisseur mm 20

OPTIONAL
Kit frigo 50 lt, volts 220.
Penderie extractible.

Le bois c'est un matériau naturel et vivant avec ses propres caractéristiques. Les variations de nuances, de porosité et de dessin que l'on constate d'un élément à l'autre sont le propre des matériaux naturels, dont ils font le charme. Ces différences peuvent être accentuées selon le sens d'exposition d'une surface à la lumière (y compris les rayons de la lune), celle-ci affecte la couleur du bois qu'elle peut foncer ou éclaircir selon les ébénisteries. C'est très important considérer qu'il ne s'agit pas de défauts et qui ne sera pas possible obtenir l'uniformité des nuances et de tonalités dans le cas suivants : réassorts, livraisons séparées, intégrations, SAV.